

# LUX M2



LOMBARDINI-KOHLER LDW1003 - 3 CYL.  
LIQUID COOLED ENGINE - 1500 RPM



VERTICAL TELESCOPIC MAST  
8.5 m MAX HEIGHT  
LIFETIME WARRANTY



RATED OUTPUT: 8kVA - 230V  
OUTLET SOCKET: 3kVA - 230V



FUEL CONSUMPTION 1.85 l/h  
43 hs. RUNNING TIME



4x1000 W MH LAMPS  
4200 m<sup>2</sup> ILLUMINATED AREA



350° MAST ROTATION  
ADJUSTABLE FLOODLIGHT



GALVANIZED METAL BODY  
80 µm POWDER COATING

LM

SERIES



MADE IN  
ITALY



LUXTOWER   
lighting towers

## ROUGH DIMENSIONS & WEIGHT

Dimensions min.	mm	2560 X 1380 X 2580
Dimensions max.	mm	2560 X 2550 X 8500
Total weight without fuel	Kg	770

## FEATURES


Rotation		350°
Floodlight	W	4 X 1000
Lamps		METAL HALIDE
Wind stability	Km/h	110
Options		Light sensor Main/generator switch Bunded tank

## ALTERNATOR

Model		Linz Alumen SP-E1C
Frequency	Hz	50 - 60
Degree of protection		IP23
Rated output	kVA/V	8 - 230
Auxiliary outlets	kVA	3

## ENGINE


Model	[M2] Lombardini-Kohler LDW1003, 3 cyl., liquid cooled	
Fuel		Diesel
r.p.m.		1500
Noise Level	db at 7 meters	65
Tank capacity	l	80
Running time	h	43
Fuel consumption	l/h	1.85

 5 LUX MIN.


ILLUMINATED AREA

4200 m<sup>2</sup>

- 5 m range
- 10 m range
- 20 m range
- 30 m range



40'' HC container



14 units

10 units per truck

